

	Type	Hits	Search Text	DBs
1	BRS	13642	photograph\$4 (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	476371	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	14244	S2 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	490	S3 and (lens with fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	27	S3 and (lens with fresnel\$4) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1	S5 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	99	S4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	477031	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	14298	S8 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	13646	photograph\$4 (light or (light source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3804	362/3,8,11,16,17,18230,231,800,802,337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	376	S11 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	S12 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	110	S12 and (ultraviolet or "UV")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	52	S12 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	58	S8 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	14298	S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	58	S9 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	31	S9 and (green and blue and red and white) and fluorophor and yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	4557	photograph\$4 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	206	photograph\$4 and S9 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	2	("5543883"   "5721963").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
23	BRS	8	("6222995").URPN.	USPAT
24	IS&R	1	("6632004").PN.	USPAT
25	BRS	4	("4316241"   "4345303"   "5775799"   "6011929").PN.	US-PGPUB; USPAT; USOCR
26	BRS	1	("6632004").URPN.	USPAT
27	IS&R	0	("tenmyo-yoshiharu.in.").PN.	USPAT
28	BRS	27	tenmyo-yoshiharu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	146	S29 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	821	S9 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	8	S31 and 313/502,503,512,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	3373	S8 and fluorophor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	10	S33 and 313/502,503,512,498.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	2	S31 and 362/84.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	24	S33 and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	8	S33 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	4	S31 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	14	S31 and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	352	(photograph\$4 or camera) and S9 and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	15	(light\$6 duration) with "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	IS&R	1	("5673059").PN.	USPAT
42	BRS	234	camera and S9 and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	11	camera and S9 and "msec" and fresnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	1	("6805474").PN.	USPAT
45	BRS	5106	362/3,8,11,16,17,18,230,231,800,802,337,257,317,227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	478502	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	70	399/4,5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	5176	S45 or S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	801	348/552.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	5977	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	69	S46 and (drive with (rate\$4 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2	S53 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	31	S46 and (drive with (rate\$4 current) and (duration or msec))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	399	S46 and (times with rated with current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	14	S46 and (times with rated with current) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2187	S51 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1	S52 and (rated current) and "msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	26	S52 and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	2	S52 and (rated current) and photogr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	12625	S46 with flash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	4837	flash\$5 ((light emit\$6 diod\$4) or "LED" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	446	S62 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	1	S62 and photograph\$4 and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	S62 and photograph\$4 and (rated adj current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	7	phtograph\$5 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1	S66 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	10794	blue with S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	6	blue with S46 with fluorophor\$4 with yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
70	BRS	0	S69 and phtograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	1	S69 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	13	(blue with S46) same fluorophor\$4 same yellow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	2900	S46 and (lens with fresnel\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	70948	S46 and ((green and blue and red) or white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	1739	S75 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	23083	S75 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	1147	S77 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	S77 and fresnel\$4 and phtograph\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	343	S77 and fresnel\$4 and photograph\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	159	S77 and fresnel\$4 and photograph\$5 and flash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	5513	"396"/\$.ccls. and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	171	"396"/\$.ccls. and S46 and fresnel\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	16	"396"/\$.ccls. and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	63	S51 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	12	S51 and S78 and photograph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	IS&R	5	((("5895128") or ("5109248") or ("6081076") or ("4485336") or ("5666571"))).PN.	USPAT
87	BRS	9	S72 and red and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	IS&R	1	("6747406").PN.	USPAT
89	BRS	42507	flash\$5 and ((light emit\$6 diod\$4) or "LED" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	2010	flash\$5 and ((light emit\$6 diod\$4) or "LED" ) and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	460	flash\$5 and ((light emit\$6 diod\$4) or "LED" ) and "362"/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
92	BRS	127	flash\$5 and ((light emit\$6 diod\$4) or "LED" ) and "362"/800.ccls. and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3	flash\$5 and ((light emit\$6 diod\$4) or "LED" ) and "362"/800.ccls. and driver and (rated current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	0	"09911736".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	4	"911736".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1	lens with (longitudinal fresnel) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	12	lens with (longitudinal fresnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	1052	(lens with fresnel) and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	16	((light emit\$6 diod\$4) or "LED") (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	217	((light emit\$6 diod\$4) or "LED") with (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	15918	(lens with fresnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	6	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	IS&R	2	((("5617163") or ("6016406")).PN.	USPAT
105	BRS	0	S105 and (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	2	S105 and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	39	S99 with stack\$3 with (red and green and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	IS&R	3	((("3875456") or ("3875473") or ("3783353")).PN.	USPAT
109	BRS	3	("3611069"   "3683240"   "3727115").PN.	US-PGPUB; USPAT; USOCR
110	BRS	27	("3783353").URPN.	USPAT
111	BRS	3559	(Camera or phtograph\$5) with (electronic flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	65	stack\$4 ((light emit\$6 diod\$4) or "LED") and green and red and blue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	0	S111 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
114	BRS	65	(stack\$4 ((light emit\$6 diod\$4) or "LED")) and green and red and blue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	39	stack\$4 with (((light emit\$6 diod\$4) or "LED") with green with red with blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	39	stack\$4 with (((light emit\$6 diod\$4) or "LED") with (green and red and blue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	3	("5138416"   "5459337"   "5583351").PN.	US-PGPUB; USPAT; USOCR
118	BRS	30	("5739552").URPN.	USPAT
119	BRS	180	light with emit\$6 with stack\$4 with chip\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	42	S119 and (green and red and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	7	("20010022495"   "20020057567"   "5393993"   "5623181"   "5707745"   "5998925"   "6346771").PN.	US-PGPUB; USPAT; USOCR
122	BRS	0	("6525464").URPN.	USPAT
123	BRS	13	S119 and (flash or camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	3	S119 with (green and red and blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	5	"063103".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	2366	313/499-503,512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	0	S126 and (stack\$4 with chip\$3 with green with blue with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	17	S126 and (stack\$4 with chip\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	437	S126 and stack\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	6	S126 and (stack\$4 with (green red blue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	IS&R	1	("6737801").PN.	USPAT
132	IS&R	1	("6525464").PN.	USPAT
133	BRS	7	("20010022495"   "20020057567"   "5393993"   "5623181"   "5707745"   "5998925"   "6346771").PN.	US-PGPUB; USPAT; USOCR
134	BRS	0	("6525464").URPN.	USPAT
135	BRS	7	("20010022495"   "20020057567"   "5393993"   "5623181"   "5707745"   "5998925"   "6346771").PN.	US-PGPUB; USPAT; USOCR
136	IS&R	1	("3611069").PN.	USPAT

	Type	Hits	Search Text	DBs
137	BRS	6	("3404305"   "3478214"   "3526801").PN.	US-PGPUB; USPAT; USOCR
138	BRS	35	("3611069").URPN.	USPAT
139	BRS	3297	(spring contact) with (electrical (contact or connection))	USPAT
140	BRS	330	(spring contact) with (electrical (contact or connection)) and S99	USPAT
141	BRS	0	S140 and (electronic flash)	USPAT
142	BRS	32	S140 and (flash)	USPAT
143	BRS	607	camera and (cell phone)	USPAT
144	BRS	1	((spring contact) with (electrical (contact or connection))) and S143	USPAT
145	BRS	175	camera with (cell phone)	USPAT
146	BRS	0	((spring contact) with (electrical (contact or connection))) and S145	USPAT
147	BRS	102	camera with (mobile device)	USPAT
148	BRS	8	camera and ((hot shoe) with spring)	USPAT
149	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	14421	S149 and (green and blue and red and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	58	S150 and (green and blue and red and white) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	2	"911736".ap.	US-PGPUB
153	BRS	0	"09911736".ap.	US-PGPUB
154	BRS	16	blue same fluorophore same yellow same red same white	US-PGPUB
155	BRS	479044	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	4	(white with blue with fluorophore with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	3	(white with blue with fluorophor with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	4	white same (blue with fluorophor with red)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	1	((ultraviolet or UV) with fluorphor) with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	4194	(ultraviolet or UV) with S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	1	S163 with fluorophor with white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	34	(blue with S158) and fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
163	BRS	9	(blue with S158) with fluorophor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
164	BRS	9	((blue with S158) with fluorophor) and white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	2	"911736".ap.	US-PGPUB
166	BRS	454	kawakami.in.	US-PGPUB
167	BRS	7	kawakami-chikuni.in.	US-PGPUB
168	BRS	0	"09911736".ap.	US-PGPUB
169	BRS	0	"0911736".ap.	US-PGPUB
170	BRS	6	"937847".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB